

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER/CHEMICAL IDENTITY

1.1 PRODUCT IDENTIFIER: Bona AntiSlip

1.2 PRODUCT CODE: Not available.

1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST:

RELEVANT IDENTIFIED USES: Additive for enhanced slip resistance.
For use with lacquers for both wood and resilient flooring.

RESTRICTIONS ON USE: Professional use typically involves adding a single 125 g container of Bona AntiSlip directly into 5 L of lacquer. The hazards outlined in the SDS are primarily associated with handling smaller volumes during use. However, during storage, handling, and distribution, the product is managed in larger quantities, typically as boxed units containing multiple 125 g containers. Consideration should therefore be given to the potential for increased hazard associated with larger volumes, such as a large spill scenario, and how these situations would be managed, particularly in confined or enclosed spaces.

1.4 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER NAME: Bona Australia Pty Ltd (ABN: 2208 758 1520).

ADDRESS: Unit 9, Wareca Business Park,
1866 Princes Highway, Clayton, Victoria, 3168.

E-MAIL: Info.BonaAustralia@bona.com.

TELEPHONE NUMBER: 03 9543 4399.

1.5 EMERGENCY TEL. NUMBER: 03 9543 4399 Business Hours. (0408 008 762 After Hours or National Chemical Emergency Centre Europe 18000 74234).
Poisons Information Centre: Aust 131 126.

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL:

GHS CLASSIFICATION HAZARD CLASS & CATEGORY:

Under the Model Work Health and Safety Regulations, the product would not be classified as hazardous.

2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS:

SIGNAL WORD: Not Applicable.

PICTOGRAMS: Not Applicable.

HAZARD STATEMENTS: Not Applicable.

PRECAUTIONARY STATEMENTS:

PREVENTION: Not applicable.

RESPONSE: Not applicable.

STORAGE: Not Applicable.

DISPOSAL: Not Applicable.

SAFETY DATA SHEET

SECTION 2 – HAZARD(S) IDENTIFICATION - Cont'd

2.3 OTHER HAZARDS:

The product is a mono-constituent substance and an inert polymer. Under normal usage of the product as an anti-slip agent, exposure to the product is not expected to present a significant health hazard.

As the product has a median particle size of 50 µm, airborne dust may be generated during handling, transfer, mixing, or in the event of spillage of the powder and may be inhalable. Inhalation of dust may cause irritation to the respiratory tract. Avoid breathing dust. Refer to Section 8 of this SDS for recommended exposure controls and personal protective equipment to minimise inhalation exposure. Due to the small medium particle size of the polymeric material, the product should be anticipated to be combustible in spill scenarios where sufficient product can be dispersed to create a combustible atmosphere.

Individuals with pre-existing skin conditions, such as eczema or dermatitis, should take appropriate precautions to avoid aggravation of these conditions. As with all chemical products, persons should not expose open wounds, cuts, abrasions, or irritated skin to this material.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Concentration %W/W	GHS Classification*
Other non-hazardous ingredients	-	To 100%	Not Applicable

* Please see Section 15 of this SDS for the full text description of the Label Elements.

SECTION 4 – FIRST AID MEASURES

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

INGESTION:

Rinse mouth with water. If swallowed, do NOT induce vomiting. If vomiting occurs, keep the patient leaning forward or place on their left side (head-down position, if possible) to maintain an open airway and prevent aspiration. If irritation develops or persists, or if vomiting has occurred following ingestion, seek immediate medical attention. Ingestion of the product is not considered a likely route of exposure.

EYE:

If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation develops or persists, seek medical assistance.

SKIN CONTACT:

If skin or hair contact has occurred remove any contaminated clothing and footwear, wash skin or hair thoroughly with soap and water. CAUTION: Due to the inhalable nature of the product, try to minimise the amount of dust generated while removing contaminated clothing. Do NOT use solvents and/or thinners. If irritation develops or persists, consult a doctor.

SAFETY DATA SHEET

SECTION 4 – FIRST AID MEASURES - Cont'd

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES (Continued):

INHALATION: If affected, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment and safety goggles. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops/persists, consult a doctor.

PROTECTION FOR FIRST AIDERS:

No personnel shall place themselves in a situation that is potentially hazardous to themselves. Assess the scenario for PPE requirements before entering. Assess the environment for the presence of airborne dust or other contaminants before entering. **CAUTION:** Due to the potentially combustible nature of the product, **DO NOT** enter an environment with visible dust cloud as ignition sources, including static discharges, may be sufficient to ignite dust in enclosed environments. Do not enter contaminated areas without a respirator and safety goggles. If the person has ingested the product, do not use direct mouth-to-mouth resuscitation techniques. Always ensure gloves are worn when providing first aid involving chemicals and/or blood.

FIRST AID FACILITIES: Eye wash fountain and safety showers are recommended in the area where the product is used. As a minimum, a source of running, potable water must be available.

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE:

ACUTE: Inhalation of dust may cause irritation to the nose, mouth, throat, and respiratory tract. Inhaled dusts can also get into the digestive tract, where they can cause local effects such as gastrointestinal tract irritation. Eye contact with dust particles may cause irritation, redness, and tearing. This can be exacerbated by the use of contact lenses. Skin contact may cause irritation, including redness or itching.

CHRONIC: Prolonged or repeated inhalation of dust may lead to dust build-up in the lungs, particularly where there is any respirable component in the dust that is smaller than 20 µm. This may result in lung inflammation and, in severe cases, scar tissue (fibrosis), which could lead to breathing impairment. Repeated or prolonged skin contact with the product may cause removal of natural fat from the skin and aggravate/exacerbate existing skin conditions, such as dermatitis.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY:

ADVICE TO DOCTOR: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SAFETY DATA SHEET

SECTION 5 – FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

SUITABLE MEDIA: Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, alcohol resistant foam, dry chemical or water fog. Spray down fumes resulting from fire.

UNSUITABLE MEDIA: Avoid using full water jet directed at residual material that may be burning. Water may cause splattering on hot residues.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

COMBUSTION HAZARDS: Combustion of the polymer powder may produce oxides of carbon and nitrogen. At elevated temperatures, thermal decomposition may occur, releasing dense black smoke and hazardous decomposition products. At temperatures between 300–350°C, monomers and oligomers may form. Above 350°C, thermal decomposition may produce toxic and corrosive substances, including carbon monoxide, ammonia, and amine derivatives. Above 500°C, combustion may generate additional toxic decomposition products, including carbon oxides and trace amounts of hydrogen cyanide (hydrocyanic acid).

5.3 ADVICE FOR FIREFIGHTERS:

FIRE: This product is not flammable under normal conditions of use but may present a combustible dust hazard when airborne at high concentrations. Keep storage areas and fire-exposed surfaces cool with water spray. Do not allow runoff from fire control measures to enter drains, sewers, or waterways.

HAZCHEM CODE: Not applicable.

EXPLOSION: The auto-ignition temperature is approximately 450°C. In the presence of an ignition source, airborne dust may form an explosive mixture with air. High concentrations of airborne powder, fines, or dust may increase the risk of dust explosion, particularly where flammable vapours are also present. Avoid generating dust during firefighting or clean-up procedures; fine dust dispersed in air in sufficient concentration and in the presence of an ignition source is a potential dust explosion hazard.

PROTECTIVE EQUIPMENT: In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PROTECTION: For small spills, wear nitrile rubber gloves, safety glasses/goggles, boots, and full-length protective clothing to prevent skin and eye contact. For routine handling of small spills of one container, a respirator is not required; however, its use is still recommended to avoid the inhalation of dust. If dust is generated at elevated levels, an approved particulate respirator must be worn.

For large spills or spills in confined spaces, a full chemically resistant body suit is recommended, and the atmosphere should be assessed for oxygen deficiency and airborne contaminants. If in doubt, wear self-contained breathing apparatus. Due to the combustible nature of the dust, never enter an environment with an atmosphere contaminated with dust.

SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES - Cont'd

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES (Cont'd):

CONTROL MEASURES: Ventilate area and extinguish and/or remove all sources of ignition. CAUTION: Dust clouds may form a combustible mixture with air. Never enter a spill area unless you know the dust has dissipated to make the area safe. Avoid contact with the spilled material. Do not breathe dust. Avoid generating more dust during clean up. CAUTION: Due to the small particle size of the material, it is expected that the spilled product will be slippery.

EMERGENCY PROCEDURES:

In the event of a spill or accidental release, notify the relevant authorities in accordance with all applicable regulations.

6.2 ENVIRONMENTAL PRECAUTIONS:

SPILL ADVICE: Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

CONTAINMENT: Personnel must wear the appropriate clothing as required in Section 6.1 during containment procedures; after the environment has been evaluated. Contain the spill and prevent dispersion of dust. CAUTION: The spilled product will be slippery. Avoid creating airborne dust during clean-up. Be careful of static discharges and/or sparking during clean-up. Do not use spark-generating tools.

For larger spills, lightly dampen the material with water mist where appropriate to reduce dust generation. Prepare a bund, barrier, or dyke ahead of the spill to prevent spreading and allow later recovery. If there is a risk of material entering drains, surface water, sewers, or watercourses, ensure appropriate bunding is in place or cover drains to minimise environmental release.

CLEANING PROCEDURES: Personnel must wear the appropriate clothing as required in Section 6.1 during cleaning procedures; after the environment has been evaluated. Avoid inhalation of dust. Having contained the spill as described above, carefully collect all material and transfer it into suitable containers for disposal. For small spills of one container, wipe up with absorbent, a clean rag or paper towel that has been moistened. Avoid generating airborne dust during clean-up. Follow local regulations for disposal of waste.

For large spills that have been banded, the moistened material may be shovelled or gently swept up and carefully deposited into suitable containers for disposal. Be careful of static discharges and/or sparking during clean-up. Use only non-sparking tools during cleaning operations. CAUTION: The spilled product will be slippery. Dust from the material may accumulate electrostatic charges due to friction from transfer and mixing operations and cause an electrical spark (ignition source). Bonding and grounding may not eliminate the hazard for static accumulation. Therefore, avoid using vacuums and pumping machinery to clean up spills.

After removal of the spill, clean the affected area and any contaminated objects with detergent and water. Rinse thoroughly with water. Do not allow wash water or rinsings to enter drains, surface water, sewers, or watercourses.

SAFETY DATA SHEET

SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING: Minimise dust generation and accumulation. Avoid inhalation of dust. Provide adequate precautions to ignition sources, such as electrical grounding and bonding, inert atmosphere or non-sparking tools. Eliminate all ignition sources (no smoking, sparks or flames in immediate area). Prevent small spills and leakage to avoid slip hazard. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Use appropriate respiratory protection in conditions of insufficient ventilation or where dust is generated. Avoid skin and eye contact with the product by using appropriate personal protective equipment, such as gloves, safety glasses or goggles, and full-length protective clothing. Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, or processed. Always wash hands after handling. Workers should observe good personal hygiene practices, including washing hands before eating, drinking, or smoking. Remove contaminated clothing and protective equipment before entering eating areas. Keep the product in containers made of compatible material consistent with the original packaging. Keep containers tightly closed when not in use. Prevent the product from entering waterways, drains, or sewers.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

SAFE STORAGE: Store in a cool, dry, well-ventilated, frost-free area away from direct sunlight, ignition sources, oxidising agents, strong acids and alkalis, foodstuffs, animal feeds and clothing. Keep containers closed when not in use. Always keep in containers made of the same material as the original one. Containers that have been opened must be carefully resealed and kept upright to prevent spillage.

INCOMPATIBILITIES: Avoid oxidising agents, including strong acids, and strongly alkaline materials.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 EXPOSURE CONTROL MEASURES:

EXPOSURE LIMIT VALUES:

Exposure standards for the product have not been established. There are no known exposure standards for the ingredient. Exposure to dust should be maintained below 10 mg/m³ (inhalable dust, 8-hour TWA). This is based upon The Australian Institute of Occupational Hygienists Position Paper 'Dust Not Otherwise Specified (Dusts NOS) and Occupational Health Issues'.

8.2 BIOLOGICAL MONITORING: No data available.

8.3 CONTROL BANDING: No data available.

8.4 ENGINEERING CONTROLS:

Use product in a well-ventilated area. Avoid generating and inhaling dusts. Where reasonably practical this should be achieved by the use of local exhaust ventilation and good general extraction. Special ventilation is not normally required. However, in enclosed spaces, dust may be generated and exhaust ventilation may be required to maintain airborne concentration levels below the nominated dust exposure level and at a level considered non-irritating by individuals. Exhaust ventilation must not become a source of ignition.

SAFETY DATA SHEET

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION - Cont'd

8.5 INDIVIDUAL PROTECTION MEASURES:

EYE & FACE PROTECTION:

Wear safety glasses/goggles to avoid eye contact. If when mixing or stirring the product there is the possibility of splashing, a full-face shield is recommended. Use eye protection in accordance with AS 1336 and AS 1337. NOTE: Due to the particulate nature of the material, contact lenses may present a hazard and increase the potential for eye irritation.

SKIN (HAND) PROTECTION:

If there is the chance of skin contact with the material; wear gloves to provide hand protection. Nitrile rubber gloves are recommended.

SKIN (CLOTHING) PROTECTION:

During normal operating procedures, long sleeved clothing is recommended to avoid skin contact. Soiled clothing should be washed with detergent prior to re-use.

RESPIRATORY PROTECTION:

Use only in well-ventilated areas. During routine operation, a respirator is not required. However, if dust is generated during handling, transfer, mixing, or in the event of a small spillage of the powder, an approved half face particulate respirator is required. For large spills, after checking the atmosphere for dust, use self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode. Use respirators in accordance with AS 1715 and AS 1716.

THERMAL PROTECTION: Not applicable.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Beige powder.
ODOUR:	Not applicable.
ODOUR THRESHOLD:	Not applicable.
pH:	Not applicable.
MELTING/FREEZING POINT:	>180 °C.
SOFTENING POINT:	>140 °C
INITIAL BOILING POINT:	No data available.
BOILING RANGE (°C):	No data available.
FLASHPOINT (°C):	Closed cup: 277 °C
EVAPORATION RATE:	No data available.
FLAMMABILITY LIMITS (%):	Not applicable.
VAPOUR PRESSURE (kPa):	No data available.
VAPOUR DENSITY:	No data available.
DENSITY (g/mL @ 20°C):	1.14 g/cm ³ .
SOLUBILITY IN WATER(g/L):	Not soluble in cold water.
PARTITION COEFFICIENT:	No data available for n-octanol/water.
AUTO-IGNITION TEMP (°C):	450 °C
DECOMPOSITION TEMP (°C):	Not applicable.
VISCOSITY (Dynamic):	Not applicable.
VISCOSITY (cSt @ 40 °C):	Not applicable.
PARTICLE CHARACTERISTICS:	
MEDIAN PARTICLE SIZE:	50 µm (inhalable dust)

SAFETY DATA SHEET

SECTION 10 – STABILITY AND REACTIVITY

- 10.1 REACTIVITY:** The product does not pose any further reactivity hazards other than those listed in the following sub-sections.
- 10.2 CHEMICAL STABILITY:** Stable under recommended storage and handling conditions (see section 7).
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS:**
Keep away from oxidising agents, including strong acids and strong alkaline materials. Hazardous polymerisation does not occur.
- 10.4 CONDITIONS TO AVOID:** Observe the usual precautionary measures for handling chemicals. Do not heat the container or leave it open when not in use. Exposure to high temperatures may result in the formation of hazardous decomposition products. Avoid dust generation. Fine polymeric powders when suspended in air may form explosive dust-air mixtures that are combustible and may result in a fire or dust explosion.
- 10.5 INCOMPATIBLE MATERIALS:**
Avoid oxidising agents, strong acids and strong alkaline materials.
- 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:**
Hazardous decomposition products are not expected to form during normal storage requirements. Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

SECTION 11 – TOXICOLOGICAL INFORMATION

- 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**
Acute toxicity data for individual components in the product are as follows:
- Polymer - Generic, non-classified:**
LD₅₀ (Oral, Rat): >5000 mg/kg
- 11.2 SWALLOWED:** This product is not classified as toxic based on available data and the known hazards of its components. However, inhaled dust may be swallowed and can result in local effects such as gastrointestinal irritation. Post Inhalation, deposited particles may be transported to the digestive tract by means of the mucociliary clearing mechanism of the respiratory tract and may potentially be absorbed into the body. Under normal conditions of use, ingestion is not expected to be a means of exposure.
- 11.3 SKIN CORROSION / IRRITATION:**
This product is not expected to exhibit Dermal Corrosivity/Irritation based on the available data and the known hazards of the components. May be mildly irritating to the skin. Prolonged or repeated contact may cause removal of the natural fat from the skin, resulting in non-allergic contact dermatitis and possibly absorption through the skin. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition.
- 11.4 SERIOUS EYE DAMAGE / IRRITATION:**
This product is not expected to exhibit Eye Irritation or Serious Damage/Corrosivity, based on the available data and the known hazards of the components. May be mildly irritating to the eyes upon contact with dust particles. Symptoms may include localised burning, redness, and tearing. Use of contact lenses may increase the potential for irritation. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.

SAFETY DATA SHEET

SECTION 11 – TOXICOLOGICAL INFORMATION - Cont'd

11.5 RESPIRATORY OR SKIN SENSITISATION:

This product is not expected to be a skin sensitiser based on the available data and the known hazards of the components. This product is not expected to be a respiratory tract sensitiser, based on the available data and the known hazards of the components.

11.6 GERM CELL MUTAGENICITY:

This product is not expected to be mutagenic based on the available data and the known hazards of the components.

11.7 CARCINOGENICITY:

This product is not expected to be a carcinogen based on the available data and the known hazards of the components.

11.8 REPRODUCTIVE TOXICITY:

This product is not expected to be a reproductive hazard based on the available data and the known hazards of the components.

11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

SINGLE EXPOSURE:

This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of dust may cause irritation to the nose, mouth, throat, and respiratory tract.

11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

REPEATED EXPOSURE:

This product is not expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components. However, as the product has a median particle size of 50 µm, airborne dust may be generated during handling, transfer, mixing, or in the event of spillage of the powder and may be inhalable. There may be a small proportion of respirable particles in the product if particle sizes of less than 20 µm are present. Prolonged or repeated inhalation of respirable dust particles, if present, may lead to dust build up in the lungs, potentially resulting in lung inflammation and, in severe cases, scar tissue (fibrosis), which could lead to breathing impairment.

11.11 ASPIRATION HAZARD: This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. If swallowed, do NOT induce vomiting. Due to the small medium particle size, it is recommended that if vomiting has occurred following ingestion, seek immediate medical attention to determine whether aspiration has occurred.

11.12 OTHER INFORMATION: No additional information.

SAFETY DATA SHEET

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ECOTOXICITY: There is no data available for the product as a whole. The product has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

Polymer - Generic, non-classified:

LC₅₀ (Daphnia, 48 hours): 1,000,000 mg/L

NOEC (Daphnia, 1 day): 2 mg/L

12.2 PERSISTENCE & DEGRADABILITY:

No persistence or biodegradability data is available for the product.

12.3 BIOACCUMULATIVE POTENTIAL:

No bioaccumulative data is available for the product. This mixture does not contain any substances that are assessed to be a PBT or a vPvB. The manufacturer states that Polymer - Generic, non-classified has low bioaccumulative potential with a LogP_{ow} of <1.

12.4 MOBILITY IN SOIL:

No information is available for the product. Due to the small particle size and low solubility, the material in non-turbulent water may float and could migrate from water to land. It may then partition to sediment and wastewater solids.

12.5 OTHER ADVERSE EFFECTS:

Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 DISPOSAL METHODS:

PRODUCT:

The product should not be released into the environment in an uncontrolled manner. Any unused material should be recycled where possible or be disposed of as waste at an approved waste facility in accordance with local regulations. For spilled material, follow the Accidental Release Section for collection of the material. Spilled material that cannot be recovered should be carefully collected (e.g. by shovelling) and placed into a suitable container (such as a sealed plastic drum) for disposal. Avoid generating airborne dust during clean-up. All unused, waste, or spilled product should be disposed of or recycled by suitably licensed contractors in accordance with applicable government regulations. Do not allow product to enter drains, surface water, sewers or watercourses.

CONTAINERS:

Empty containers may contain residual material. They should be completely drained and then stored until reconditioned or disposed of. Empty containers should be taken for recycling or disposal through suitably licensed contractors in accordance with Government regulations. Empty containers should be recycled wherever possible rather than being sent to landfill or incinerated.

SAFETY DATA SHEET

SECTION 14 – TRANSPORT INFORMATION

This product is not regulated for land, sea or air transportation.

14.1 LAND (ADG Code):

UN NUMBER: Not applicable.

UN PROPER SHIPPING NAME: Not applicable.

TRANSPORT HAZARD CLASS(ES): Not applicable.

PACKAGING GROUP: Not applicable.

ENVIRONMENTAL HAZARDS: Not applicable.

SPECIAL PRECAUTIONS FOR USER: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

HAZCHEM CODE: Not applicable.

14.2 SEA (IMDG):

UN NUMBER: Not applicable.

UN PROPER SHIPPING NAME: Not applicable.

TRANSPORT HAZARD CLASS(ES): Not applicable.

PACKAGING GROUP: Not applicable.

ENVIRONMENTAL HAZARDS: Not applicable.

SPECIAL PRECAUTIONS FOR USER: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.3 AIR (IATA):

UN NUMBER: Not applicable.

UN PROPER SHIPPING NAME: Not applicable.

TRANSPORT HAZARD CLASS(ES): Not applicable.

PACKAGING GROUP: Not applicable.

ENVIRONMENTAL HAZARDS: Not applicable.

SPECIAL PRECAUTIONS FOR USER: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SAFETY DATA SHEET

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:

APPLICABLE REGULATIONS:

- SUSMP:** Not scheduled.
- AICIS:** Bona or its Suppliers have Categorised the components against AICIS requirements and have nominated that the product is suitable for local use.
- MONTREAL PROTOCOL:** Not applicable to this product.
- STOCKHOLM CONVENTION:** Not applicable to this product.
- ROTTERDAM CONVENTION:** Not applicable to this product.
- BASEL CONVENTION:** Not applicable to this product.
- INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS (MARPOL):**
Not applicable to this product.

OTHER REGULATORY INFORMATION:

GHS CLASSIFICATION HAZARD CLASS & CATEGORY AND HAZARD STATEMENT:

Not applicable.

SECTION 16 – ANY OTHER RELEVANT INFORMATION

SDS INFORMATION:

Date of SDS Preparation: 04 May 2026

Version: 1.0

VERSION HISTORY:

Version	Date	Summary of Changes
1.0	04/05/2026	Initial Preparation of Safety Data Sheet.

ACRONYMS:

- ACGIH American Conference of Governmental Industrial Hygienists
- ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail
- AICIS Australian Industrial Chemicals Introduction Scheme
- AIIC Australian Inventory of Industrial Chemicals
- CAS Number Chemical Abstracts Service Registry Number
- CLP Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]
- EC₅₀ Effective Concentration of a substance that causes 50% of the maximum response after exposure for a nominated time
- ECHA European Chemicals Agency
- EH40 EH40/2005 Workplace Exposure Limits
- EINECS European Inventory of Existing Commercial Chemical Substances
- GHS Globally Harmonised System of Classification and Labelling of Chemicals
- HAZCHEM Code Emergency action code of numbers and letters which gives information to emergency services
- HCIS Hazardous Chemical Information System
- HSE-WEL Health and Safety Executive - Workplace Exposure Limit
- HSNO Hazardous Substances and New Organisms Act 1996
- IATA International Air Transport Association
- IMAP Inventory Multi-Tiered Assessment and Prioritisation

SAFETY DATA SHEET

SECTION 16 – ANY OTHER RELEVANT INFORMATION - Cont'd

ACRONYMS (Continued):

IMDG	International Maritime Dangerous Goods
IUCLID	International Uniform Chemical Information Database
LC ₅₀	Median Lethal Concentration
LD ₅₀	Median Lethal Dose
NOEC	No Observed Effect Concentration
NOHSC	National Occupational Health and Safety Commission
OECD	Organisation for Economic Co-Operation and Development
OSHA	Occupational Safety and Health Administration
PBT	Persistent, Bioaccumulative and Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RTECS	Registry of Toxic Effects of Chemical Substances
STEL	Short Term Exposure Limit
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
TWA	Time-Weighted Average
UN Number	United Nations Number
vPvB	Very Persistent and Very Bioaccumulative
WHS	Work Health and Safety
%W/W	Percent Weight for Weight

LITERATURE REFERENCES AND SOURCES OF DATA:

Annex I: OECD Test Guidelines for Studies Included in SIDS
Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]
Assigning a Hazardous Substance to a Group Standard
Australian Dangerous Goods Code 7th Edition
Correlation between GHS and New Zealand HSNO Hazard Classes and Categories
Guidance on the Classification of Hazardous Chemicals under the WHS Regulations
Hazardous Chemical Information System (HCIS) - Guidance Material for Hazard Classifications
HSNO Control Regulations
International Toxicity Testing Guidelines
Interpretation of Workplace Exposure Standards for Airborne Contaminants
Labelling of Hazardous Substances Hazard and Precautionary Information
Manual for the Assessment of Chemicals Chapter 2 Data Gathering
Model Work Health and Safety Regulations - Transitional Principles
Model Work Health and Safety Regulations
OECD Guidelines for Testing of Chemicals
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Record of Group Standard Assignment
Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances
Supplier's Safety Data Sheet and Technical Data Sheet
The Australian Institute of Occupational Hygienists Position Paper 'Dust Not Otherwise Specified (Dusts NOS) and Occupational Health Issues
Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996
User Guide to the HSNO Thresholds and Classifications
Workplace Exposure Standards and Biological Exposure Indices
Workplace Exposure Standards for Airborne Contaminants
WorkSafe Queensland Government - Hazardous Exposures - Hazardous Dusts

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. The information presented here within, is based upon the product information supplied by the manufacturer. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.